

10/820,109.

co/c



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Atty. Docket: OMATA=2

In re Patent of:)	Conf. No.: 8285
)	
Kazuki OMATA)	
)	
Patent No.: 7,066,626)	Washington, D.C.
)	
Issued: June 27, 2006)	December 5, 2006
)	
For: LED LAMP)	
)	
)	ATTN: Certificate of
)	Correction Division

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322

Honorable Commissioner for Patents
U.S. Patent and Trademark Office
Randolph Building, Mail Stop Post Issue
401 Dulany Street
Alexandria, VA 22314

Sir:

In checking over the printed copy of the above-identified patent, we have found the following error that is the fault of the Patent and Trademark Office. It is respectfully requested that this error be corrected in accordance with 37 CFR §1.322(a). The error to be corrected is listed below.

Column 10, line 2, delete the term "a".

We are attaching one copy of the Certificate of Correction form.

DEC - 8 2006

Certificate
DEC 07 2006
of Correction


In re of U.S. Patent 7,066,626

In accordance with MPEP §1480.01, in an effort to expedite processing of this request, also attached hereto is a copy of page 8 of the amendment filed on January 17, 2006, correcting this error.

Granting of this request is earnestly solicited.

Respectfully submitted,

BROWDY AND NEIMARK, P.L.L.C.
Attorneys for Applicant(s)

By 
Ronni S. Jillions
Registration No. 31,979

:dtb

Telephone No.: (202) 628-5197

Facsimile No.: (202) 737-3528

G:\BN\A\Asak\Omata2\Pto\2006-12-05CertCor322.doc

DEC - 8 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,066,626
APPLICATION NO.: 10/820,109
ISSUE DATE : June 27, 2006
INVENTOR(S) : Kazuki OMATA

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- 1) Column 10, line 2, delete the term "a".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

BROWDI AND NEIMARK
624 Ninth Street, NW
Suite 300
Washington, DC 20001-5303

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

3 2005

COPY

7. (Currently Amended) The LED lamp according to claim 5,

wherein said lens body has a light incident surface and a light exit surface,

wherein ~~one of the light incident and exit~~
~~surfaessurface is composed of comprising~~ a convex surface or
fresnel surface ~~and another thereof is composed of a planar~~
~~surface,~~

~~wherein the convex surface or fresnel surface is~~
disposed to face the light emitting unit, and the exit surface
is composed of a planar surface.

Claims 8 - 10. (Cancelled)

11. (Original) The LED lamp according to claim 5,
wherein said light emitting unit includes a blue light
emitting diode element, a resin body to seal the blue light
emitting diode element and a fluorescent material of yttrium,
aluminum, garnet (YAG), mixed in the resin material, in order
to obtain a light emitting color of white.

12. (Cancelled)

13. (Currently Amended) The LED lamp according to
claim 5, wherein said light emitting unit includes a three
kinds of light emitting diode elements comprising red, green
and blue colors and a resin body to seal the light emitting
diode elements. 